


Figure 1






Figure 2

Figure 3A




Figure 3B





Figure 4

Figure 4 is a screenshot of a software interface for configuring capture sets. The interface is divided into several sections:

- Top Menu Bar (207):** Contains the following menu items: Edit, View, Debug, Tools, Options, Window, Help. A left arrow (210) is located between the Tools and Options menus.
- Left Panel (212):** A vertical list of capture sets: 223-1, 223-2, 223-3. A mouse cursor (212) is pointing at the top of this panel.
- Live Capture Set(s) (222):** A large rectangular area for editing the selected capture set.
- Buttons (224, 228):** Three buttons labeled "New", "Remove", and "Duplicate" are located below the Live Capture Set(s) area.
- Configuration Fields (240, 244, 248, 252, 260, 264, 266, 272, 274):** A series of input fields and checkboxes for configuring the capture set:
 - Enable Capture (checkbox 240)
 - Capture Set Name (text field 244)
 - Operator Prompt (text field 248)
 - Cycle Trigger (checkbox 260)
 - Advanced (checkbox 252)
 - Error Number (text field 264)
 - User Defined Reason (checkbox 266)
 - OK (button 272)
 - Cancel (button 274)
- Reasons and Subreasons (230, 232, 234, 238):** Two lists for defining reasons and subreasons:
 - Capture Reason(s) / 230:** A list with 7 rows. The first three rows are labeled 231-1, 231-2, and 231-3. A mouse cursor (232) is pointing at the first row.
 - Capture Subreasons / 234:** A list with 7 rows. The first three rows are labeled 235-1, 235-1, and 235-1. A mouse cursor (238) is pointing at the first row.
- Buttons (276, 280):** Two buttons labeled "Help" (276) and "Validate Sets" (280) are located at the bottom right of the configuration area.


5/7

Figure 5



6/7

Figure 6



7/7

7017

Figure 7

